

n (
	Collection	n Analysis	Database Clea	n-Up Inventory	Library-Specific	Monthly	Patrons	Test Un	ique Managem	ent Year-	End Reports	
irc	oup 🗢	Subgroup	\$	Notes		≑ Au	uthor 🔶	Creation date	Public *	Saved results	÷	
ba 1-L			Item records w	ith CCode of NULL, DE	EF, XXX	sekisteci (2)	h, seklstech	01/07/2009	No		Actions	•
cti /si	ion		Sandy W list J	-YA list			h, seklstech	01/27/2009	No	Q Show	1	Ì.
ins			List of patrons	without barcodes sorte	ed by library and su	rname seklstech	h, seklstech	03/04/2009	No	Edit	oato	ī
ry-	-Specific	Independer	ice Independence			(2) seklstech	h, seklstech	07/01/2009	No	Run	cale	
rv-	-Specific	Fredonia	Holdings catalo	oged in Fredonia in the	ast month.	(2) Hulse, V	Michelle	10/23/2009	No	O Schee	dule	
_		Fredonia				(27706)	. Michelle	10/23/2009	No	X Delete	e Actions	-
ome re	eports		•	arameters r ameters 1		,		,	,		ate.	
			Branch fill	ed at: Iola Publ	lic Library		•					
				1								
			Dup the report	+								
y be r ds Qu	multip eue M	Dle pa Vorkar	ges. ound unlimited) query i	mber of ma								
Ay be i Ids Qui number of INNER 3 LEFT 3C LEFT 3C L	rows mate rows mate a barcoc (reserves JOIN boil DIN bail DIN bail	Vorkar Vorkar Ching the (de, rese s INNER rrowers ens ON b is INNER rrowers ens ON b is INNER rowers ens ON b is INNER to Interne s. INNER to Interne s. Interne to Interne s. Priori emnumbe toforloa maged] = cemlost) chdrawn) loan) I s. itemnum yppe)<>" I targe sed valu s. drawn) loan) I s. itemnum yppe)<>"	: title, nur ges. ound unlimited) query i rves.reserves. JOIN biblio ON reserves.J iblio.biblio Di ON (bibl argets ON itm values ON itcm values ON itcm valu	s7. date, items.loo ON reserves.bib borrowernumber number = items io.biblionumber eserves.biblion ld fill_target: s.Itemnumber = au: ="ccode"))) LL) LECT itemnumber: NULL temnumber) r) IS NULL))	<pre>cation, items iblionumber = borrowers. .biblionumber = holblionumber = hold s.borrowernum branchtransf thorised_valu r FROM reserv umber))</pre>	s.itemcalln = biblio.bi .borrowernur c) mber)) fers.itemnur les.authori ves WHERE i	umber, re blionumbe mber) ets.bibli mber) sed_value temnumber	eserves.br er) Lonumber)	emnumber :	AS 'Send '	To:', bi	blio.autř NULL)))
IV be I Ids Qu number of CT items CT items OM (()(I) INNER 3 INNER 3 INNE (12 AND (12	rows mater s.barcod (reserved) JOIN bold JOIN bold Serves ceserves tems.in	ble pa Vorkar ching the (de, rese is INNER rowers bioitems bioitems ching the (de, rese intermode bioitems ching the (ching the (c	<pre>: title, nur ges. ound unlimited) query i rves.reserve. JOIN biblio ON reserves.] bi ON (bibl) argets ON (tr es.category)' edate) <=now (gdate) IS NUI ty)=1) r NOT IN (SEI n)=0) =0) =0) S NULL) mber) IS NOT ber)=items.ir REF") ts.itemnumbe: es.category)' ts.itemnumbe: nch, author: ch='IOLA' fers.datesen 0</pre>	<pre>s7. date, items.loo ON reserves.b borrowernumber number = items io.biblionumber eserves.biblioi d fill target s.Itemnumber = ems.ccode = au: ="ccode"))) LL) LECT itemnumber: NULL temnumber) r) IS NULL)) ="ccode") r) IS NULL)) ="ccode") r) IS NULL)) ="ccode") r) =items.itemnu ised_values.lil</pre>	<pre>cation, items iblionumber = = borrowers. biblionumber = hold s.borrowernum branchtransf thorised_valu r FROM reserv umber)) b_opac, items htransfers.da</pre>	s.itemcalln = biblio.bi .borrowernur r) ifill_targ fers.itemnu les.authori ves WHERE i s.itemcalln atearrived)	umber, re blionumbe mber) ets.bibli mber) sed_value temnumber umber, it	eserves.br er) ionumber) = r=items.it	emnumber i	AS 'Send ' AND found	To:', bi	blio.autř NULL)))
IV be I Ids Qu number of ICT items ICT items INNER 3 INNER 5 INNER 7 ILFT JC LEFT JC AND (12 AND (12 AND (12 AND (12 AND (13 AND (13 AND (14 AND (16 AND (16	multip rows mate a.barcod (reservery JOIN boy JOIN boy JOIN boy JOIN boy JOIN boy JOIN boy JOIN boy DIN boy DI	ble pa Vorkar ching the (de, rese is INNER rowers bioitems bioitems ching the (de, rese intermode bioitems ching the (ching the (c	<pre>: title, nur ges. ound unlimited) query i rves.reserve. JOIN biblio ON reserves.] bi ON (bibl) argets ON (tr es.category)' edate) <=now (gdate) IS NUI ty)=1) r NOT IN (SEI n)=0) =0) =0) S NULL) mber) IS NOT ber)=items.ir REF") ts.itemnumbe: es.category)' ts.itemnumbe: nch, author: ch='IOLA' fers.datesen 0</pre>	<pre>s7. date, items.loo ON reserves.b borrowernumber number = items io.biblionumber eserves.biblion d fill_target s.Itemnumber = "ccode"))) LL) LECT itemnumber mult temnumber) r) IS NULL) ="ccode") r) IS NULL) ="ccode") r) =items.itemnumber</pre>	<pre>cation, items iblionumber = = borrowers. biblionumber r=bi.biblionu number = hold s.borrowernum branchtransf thorised_valu r FROM reserv umber)) b_opac, items htransfers.da e, items.enum</pre>	s.itemcalln = biblio.bi .borrowernur r) ifill_targ fers.itemnu les.authori ves WHERE i s.itemcalln atearrived)	umber, re blionumbe mber) ets.bibli mber) sed_value temnumber umber, it	eserves.br er) ionumber) = r=items.it	emnumber i	AS 'Send ' AND found	To:', bi	blio.autř NULL)))
IV be I Ids Qu number of CT items CT items INNER 3 INNER 3 INNER 5 INNER 5 INNE AND (12 AND (1	reserves terms. Additional content of the serves reserves to the serves reserves reserves to the serves reserves	ble pa Vorkar thing the (de, rese is INNER rowers ms ON b lioitems d fill_t .reserv .waitin .priori cennumbe ttforloa .waitin .priori cennumbe ttforloa .waitin .sub .waitin .sub .wiennum .sub .tiemnum	: title, nur ges. ound unlimited) query i rves.reserved JOIN biblio DON reserves.J iblio.biblio Di ON (bibl: argets ON (r rnumber = ho. tess ON item values ON it es.categorny(gdate) IS NUI ty)=1) r NOT IN (SE n)=0) =0) S NULL) mber) IS NOT ber)=items.i REF") ts.itemnumbe: s.category) ts.itemnumbe: IS NULL) mode, author. ch='IOLA' fers.datesen 0 umber, reser	<pre>s 7. date, items.log ON reserves.b borrowernumber number = items io.biblionumber; eserves.biblion ld fill_target; s.Itemnumber = ems.ccode = au ="ccode"))) LL) LECT itemnumber; r) IS NULL)) ="ccode") r) IS NULL)) ="ccode") r)=items.itemnumised_values.lill t)=Count(branch ves.reservedate itemcallnumber</pre>	<pre>cation, items iblionumber = = borrowers. biblionumber r=bi.biblionu number = hold s.borrowernum branchtransf thorised_valu r FROM reserv umber)) b_opac, items htransfers.da e, items.enum</pre>	s.itemcalln = biblio.bi .borrowernur r) mber)) fers.itemnu les.authori ves WHERE i s.itemcalln atearrived)	umber, re blionumbe mber) ets.bibli mber) sed_value temnumber umber, it	eserves.br er) ionumber) = r=items.it	emnumber : chron, bib	AS 'Send ' AND found	To:', bi	blio.aut) NULL)))
IV be I Inumber of CT items (M CT items	reserved reserv	Vorkar Vorkar Ching the (de, rese as INNER rrowers as INNER rrowers as INNER rowers as INNE	: title, nur ges. ound unlimited) query i rves.reserver JOIN biblio ON reserves.J iblio.biblio Di ON (bibl argets ON (rr rnumber = ho. bi ON (bibl argets ON item values ON item	<pre>s7. date, items.loo ON reserves.bb borrowernumber number = items io.biblionumbe: eserves.biblion d fill_target: s.Itemnumber = ems.ccode = aur ="ccode"))) LL) LECT itemnumber pr) IS NULL) ="ccode") r) IS NULL) ="ccode") r) =items.itemnumber) r) IS NULL) =Count (branch ves.reservedate itemcallnumber DVD Despicable M Deaver</pre>	cation, items iblionumber = = borrowers. .biblionumber = rebi.biblionumber = branchransf thorised_valu r FROM reserv umber)) b_opac, items htransfers.da e, items.enum Send To: IOLA INDEPENDNC	s.itemcalln = biblio.bij .borrowernur c) mber)) ffll_targ. fers.itemnu les.authori ves WHERE i s.itemcalln atearrived) mchron, bib author Deaver, Jeffery.	umber, re blionumbe mber) ets.bibli mber) sed_value temnumber umber, it lio.autho	eserves.br er) Lonumber) e c=items.it tems.enumc or, biblio espicable me e kill room /	emnumber : chron, bib o.title AS TITLE	AS 'Send ' AND found	To:', bi IS NOT r, bibli suspend 0 0	<pre>blio.auth NULL))) o.title, copyrighte 2010 2013</pre>
Ay be f Ids Qu number of ICT iteme INNER C INNER C	reserved reserv	Vorkar Vorkar Ching the (i de, rese as INNER srowers ms ON b ioitems as INNER borrowe cohtrans orised sed valu s.reserv s.waitin s.priori- cemnumbe otforloa maged) = cemloat) hloan) I s.itemnum itemnum prope) <>" ll targe sed valu targe sed valu targe	: title, nur ges. ound unlimited) query i rves.reserves. JOIN biblio ON reserves.l iblio.biblio bi ON (bibl argets ON itm values ON it es.category); edate) C=now(gdate) IS NOI bes.eategory); mber) IS NOT ber) IS NOT Des. category); ts.itemnumber ges.category) unber, reser location 0200ADVIDDVD 0250NEW 0250NEW	<pre>s 7. date, items.loo ON reserves.b: borrowernumber number = items io.biblionumber eserves.biblion d fill_target: s.Itemnumber = ems.ccode = aur ="ccode"))) LL) LECT itemnumber pr) IS NULL)) ="ccode") r) IS NULL)) ="ccode") r) IS NULL)) ="ccode") r) = items.itemn ised_values.li) t) = Count (brancl ves.reservedate itemcallnumber DVD Despicable M Deaver Pbk F Brunstetter</pre>	cation, items iblionumber = = borrowers. .biblionumber = horrowernum branchransf thorised_valu r FROM reserv umber)) b_opac, items htransfers.da e, items.enum Send To: IOLA INDEPENDNC IOLA	s.itemcalln = biblio.bi .borrowernur c) mber)) ffill_targ. mber)) fers.itemnum les.authori ues.authori ves WHERE i s.itemcalln atearrived) mchron, bib author Deaver, Jeffery. Brunstetter, W.	umber, re blionumbe mber) ets.bibli mber) sed_value temnumber umber, it lio.autho De . Th anda E. A v	eserves.br er) Lonumber) e c=items.it cems.enumc or, biblic espicable me e kill room / vow for alway	emnumber : chron, bib o.title AS TITLE s/	AS 'Send ' AND found	To:', bi IS NOT r, bibli suspend 0 0 0	<pre>blio.auth NULL))) o.title, copyrighte 2010 2013 2013</pre>
Ay be n Ids Qu number of ICT iteme INNER C INNER C	reserved reserv	Vorkar Vorkar Ching the (i de, rese se INNER crowers ms ON b ioitems i fill t. Dorrowe cohtrans orised value s. reserv s. waitin s. priori- centnourbe totaranged) = centorloa maged) = centorloa maged) = centorloa totaranged) centorloa maged) = centorloa maged) = centorloa maged) = centorloa totaranged) centorloa totaranged) centorloa maged) = centorloa totaranged) centorloa totaranged) centorloa totaranged) centorloa totaranged) centorloa totaranged) centorloa totaranged) centorloa totaranged) centorloa totaranged) centorloa totaranged) centorloa totaranged) centorloa totaranged) centorloa totaranged) centorloa totaranged) centorloa totaranged) tot	: title, nur ges. ound unlimited) query i rves.reserves. JOIN biblio ON reserves.l iblio.biblio bi ON (bibl argets ON itm values ON it es.category); edate) IS NUL of the second es.category); edate) IS NOT ber)	<pre>s 7. date, items.loo ON reserves.b: borrowernumber number = items io.biblionumber eserves.biblion d fill_target: s.Itemnumber = ems.ccode = au ="ccode"))) LLD LECT itemnumber pr) IS NULL)) ="ccode") r) IS NULL)) ="ccode") r) IS NULL)) ="ccode") r) = items.itemn ised_values.lin t) = Count (branch ves.reservedate itemcallnumber DVD Despicable M Deaver Pbk F Brunstetter</pre>	cation, items iblionumber = = borrowers. .biblionumber = holiblionumber = borrowernum branchtransf thorised_valu r FROM reserv umber)) b_opac, items htransfers.da e, items.enum Send To: IOLA INDEPENDNC IOLA IOLA	s.itemcalln = biblio.bi .borrowernur c) mber)) fers.itemnur les.authori ves WHERE i s.itemcalln atearrived) nchron, bib author Deaver, Jeffery. Brunstetter, W.	umber, re blionumbe mber) ets.bibli mber) sed_value temnumber temnumber itennumber from temnumber umber, it lio.autho De anda E. A v anda E. A v	eserves.br ionumber) = = = :=items.it cems.enumc or, biblic espicable me e kill room / vow for alway vow for alway	emnumber : chron, bib .title AS TITLE s/ s/	AS 'Send ' AND found	To:', bi IS NOT r, bibli suspend 0 0 0 0 0	<pre>blio.auth NULL))) o.title, copyrighte 2010 2013 2013 2013</pre>
Ay be i Ids Qu number of ECT items ECT items CCT items INNER 3 INNER 3 INNE 3 INNER 3 INNE 3	reserves reserv	Vorkar Vorkar ching the (i de, rese s INNER crowers ms ON b is inites s inites orised value s.reserv .waitin .s.reserv .waitin .s.reserv .waitin .s.reserv .waitin .s.reserv .waitin .s.reserv .waitin .s.reserv .waitin .s.reserv .waitin .s.reserv .waitin .s.reserv .waitin .s.reserv .waitin .s.reserv .waitin .s.reserv .waitin .s.reserv .waitin .s.reserv .waitin .s.reserv .s	: title, nur ges. ound unlimited) query i rves.reserves. JOIN biblio ON reserves.l iblio.biblio bi ON (bibl argets ON itm values ON it es.category); edate) C=now(gdate) IS NOI bes.eategory); mber) IS NOT ber) IS NOT Des. category); ts.itemnumber ges.category) unber, reser location 0200ADVIDDVD 0250NEW 0250NEW	<pre>s 7. date, items.loo ON reserves.b: borrowernumber number = items io.biblionumber eserves.biblion d fill_target: s.Itemnumber = ems.ccode = aur ="ccode"))) LL) LECT itemnumber pr) IS NULL)) ="ccode") r) IS NULL)) ="ccode") r) IS NULL)) ="ccode") r) = items.itemn ised_values.li) t) = Count (brancl ves.reservedate itemcallnumber DVD Despicable M Deaver Pbk F Brunstetter</pre>	cation, items iblionumber = = borrowers. .biblionumber = holbionumber = borrowernum branchtransf thorised_valu r FROM reserv umber)) b_opac, items htransfers.da e, items.enum Send To: IOLA IOLA IOLA IOLA	s.itemcalln = biblio.bi .borrowernur c) mber)) ffill_targ. mber)) fers.itemnum les.authori ues.authori ves WHERE i s.itemcalln atearrived) mchron, bib author Deaver, Jeffery. Brunstetter, W.	umber, re blionumbe mber) ets.bibli mber) sed_value temnumber temnumber umber, it lio.autho De anda E. A v anda E. A v	eserves.br er) Lonumber) e c=items.it cems.enumc or, biblic espicable me e kill room / vow for alway	emnumber : chron, bib .title AS TITLE s / s / ief /	AS 'Send ' AND found	To:', bi IS NOT r, bibli suspend 0 0 0	<pre>blio.auth NULL))) o.title, copyrighte 2010 2013 2013</pre>

Every custom report has a Download button. With it, you can move the results into an Excel document to sort, organize and filter the data.

Click Download below the table.

34311002412634	2013-07-10	340250NEW	Pbk E Brune	stetter
34311002349133	2013-07-22	101800YAFIC	YA Riordan	IOLA
34311002348978	2013-07-23	101800YAFIC	YA Riordan	IOLA
34311002348820	2013-07-23	101800YAFIC	YA Venditti	IOLA
Download the repo	rt: Comma se	parated text 👻 Do	ownload	i

This box will pop up. Choose Open with Microsoft Excel as seen here. —

You have chose	n to open:
🐴 reportres	alts.csv
which is a	Microsoft Excel Comma Separated Values File
from: http	://seknfind-staff.kohalibrary.com
What should Fi	refox do with this file?
Open w	th Microsoft Excel (default)
Save File	2
Do this	automatically for files like this from now on.
Dotais	

The report will download and Excel should automatically open.

F	le Hoi	me Inse	rt Page	Layout F	Formulas	Data	Review V	/iew						a 🕜 🗆 🗗	00
Pas	□ _{••} - ·	Calibri BB Z U	• 11 •	· A ∧	= = = = : : : : : : : : : : : : : : : :	■ = = ≫~-	General \$ ▼ % €.0 .00	,	For	nditional Forr rmat as Table I Styles *		¦= Insert ▼ I Delete ▼		Sort & Find &	
lip	board 🕞		Font	Г	a Alignm	ient 🛛 🛱	Number	Fa		Styles		Cells		Editing	
	A1	-	. (<i>f</i> ∗ barc	ode										
1	А	В	С	D	E	F	G	Н		1	J	К	L	M	F
1	barcode	reserveda	location	itemcalln	Send To:	author	TITLE	susper	nd	copyrighte	late				
2	3.43E+13	*****	220200AD	DVD Desp	IOLA		Despicabl		0	2010					
3	3.43E+13	****	340250NE	M Deaver	INDEPEND	Deaver, Je	The kill ro		0	2013					
4	3.43E+13	****	340250NE	Pbk F Brur	IOLA	Brunstett	A vow for		0	2013					
5	3.43E+13	****	340250NE	Pbk F Brur	IOLA	Brunstett	A vow for		0	2013					
6	3.43E+13	*****	101800YA	YA Riorda	IOLA	Riordan, F	The lightn		0	2005					
7	3.43E+13	****	101800YA	YA Riorda	IOLA	Riordan, F	The Titan'		0	2007					
8	3.43E+13	****	101800YA	YA Vendit	IOLA	Venditti,	The sea of		0						
9															
10															
11															